

AD \_\_\_\_\_

CONTRACT NUMBER DAMD17-93-C-3101

TITLE: Blast Overpressure Studies with Animals and Man

PRINCIPAL INVESTIGATOR: Daniel L. Johnson, Ph.D.

CONTRACTING ORGANIZATION: EG&G Management Systems, Incorporated  
Albuquerque, New Mexico 87119-9100

REPORT DATE: August 1997

TYPE OF REPORT: Addendum, Task Orders 1 and 4

PREPARED FOR: Commander  
U.S. Army Medical Research and Materiel Command  
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;  
distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

19970908 032


# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.


1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE August 1997	3. REPORT TYPE AND DATES COVERED Addendum (Task Orders 1 and 4)	
4. TITLE AND SUBTITLE Blast Overpressure Studies with Animals and Man			5. FUNDING NUMBERS DAMD17-93-C-3101	
6. AUTHOR(S) Johnson, Daniel L., Ph.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) EG&G Management Systems, Incorporated Albuquerque, New Mexico 87119-9100			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Addendum to DTIC ADA322160				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)				
14. SUBJECT TERMS Blast, Overpressure, Sheep			15. NUMBER OF PAGES 36	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

APPENDIX E. SUMMARY OF EACH SUBJECT'S PATH THROUGH THE  
MATRIX




Appendix E-1. Exposure Matrix for Subjects 1012 and 1013, June 1994.

- a. Subject 1012 had positive guaiacs after Level 6 on the weekend of 25-26 June 94; negative thereafter.
- b. Levels "00" and "0" were passed on 14 and 15 June, respectively.




Appendix E-2. Exposure Matrix for Subjects 1015 and 1016, June 1994.

- a. Subject 1016 had a positive guaiac on 1 July 94; negative thereafter.
- b. Levels "00" and "0" were passed on 14 and 15 June, respectively.



Appendix E-3. Exposure Matrix for Subjects 1022 and 1023, June 1994.

- a. Subject 1022 had a positive guaiac after Level 1; negative thereafter.
- b. Levels "00" and "0" were passed on 15 and 16 June, respectively.




Appendix E-4. Exposure Matrix for Subjects 1035 and 1036, August 1994.

a. Subject 1035 elected to stop after Level 1.









Appendix E-6. Exposure Matrix for Subjects 1042 and 1043, August 1994.

a. Subject 1042 elected to stop after Level 3 because of family problems.




Appendix E-7. Exposure Matrix for Subjects 1032 and 1033, August 1994.




Appendix E-8. Exposure Matrix for Subjects 1052 and 1053, September 1994.

- a. Subject 1052 was not exposed further because of chronic ulcers.




Appendix E-9. Exposure Matrix for Subjects 1055 and 1056, September 1994.


- a. Subject 1056 was a conditional failure after condition 6/3 and was not exposed further.




Appendix E-10. Exposure Matrix for Subjects 1062, 1063 and 1065, September 1994.



Appendix E-11. Exposure Matrix for Subjects 1072, 1073, 1075, and 1076, November 1994.




Appendix E-12. Exposure Matrix for Subject 1082, November 1994.




Appendix E-13. Exposure Matrix for Subjects 1092, 1093, and 1096, January 1995.






Appendix E-14. Exposure Matrix for Subjects 1102, 1105, and 1106, January 1995.




Appendix E-15. Exposure Matrix for Subjects 1112, 1113, and 1116, January 1995.

(Note: Subject 1113 had a positive guaiac on 1/30/95; negative on 1/31/95. Delayed one day.)




Appendix E-16. Exposure Matrix of Subjects 1142, and 1143, March 1995.




Appendix E-17. Exposure Matrix of Subjects 1132, 1133, 1135, and 1136, March 1995






Appendix E-19. Exposure Matrix for Subjects 1165, 1166, 1172, and 1173, March/April 1995.




Appendix E-20. Exposure Matrix for Subjects 1152; and 1153, March/April 1995.




Appendix E-21. Exposure Matrix for Subject 1155 and 1156, March/April 1995.

a. Subject 1155 elected to stop after Level 5.






Appendix E-22. Exposure Matrix for Subject 1163, March/April 1995.




Appendix E-23. Exposure Matrix for Group 118, May 1995.




Appendix E-24. Exposure Matrix for Group 119, May 1995.

- a. Subject 1196 had a positive guaiac on 15 May from eating raw meat. He was negative on 16 May.




Appendix E-25. Exposure Matrix for Group 120, May 1995.




Appendix E-26. Exposure Matrix for Subjects 2012, 2015, and 2016, August 1995.

- a. Subject 2013 was required to repeat condition 1/6 because of a mechanical failure of the audiometer (stepping attenuator) after his exposure to 1/6. He was moved to next group.
- b. Subject 2016 was a failure at 2000 Hz after condition 3/6.
- c. Subject 2012 was sick on 28 August, selected to go to Level 7.
- d. Subject 2015 elected to stop after five shots of the 25 shots at Level 6.
- e. Subject 2012 was an elective failure after condition 6/12.
- f. Subject 2016 elected not to go to condition 2/100.




Appendix E-27. Exposure Matrix for Subjects 2022, 2013, 2025, and 2026, August 1995.

- a. Subject 2025 was an audiometric failure with a TTS of 25 dB at 1 kHz at 20 minutes.
- b. Subject 2013 was sick on 8/18/95 and was exposed to Level 5 on 8/21.
- c. Subject 2013 elected not to go to Level 7.
- d. Subject 2022 was a conditional failure after condition 6/50 with a TTS<sub>2</sub> of 17 dB at 2000 Hz. Because of time constraints, further testing was terminated.
- e. Subject 2025 elected not to go to condition 2/100.



Appendix E-28. Exposure Matrix for Subjects 2032, 2023, and 2035, August 1995.


- a. Subject 2023 was a conditional failure with a TTS of 18 dB at 3 kHz at the 20-minute post audiogram (TTS,      was 14 dB).
- b. Subject 2023 was a conditional failure after condition 5/12 with a TTS of 22 dB at 3 kHz.
- c. Subject 2035 elected not to go to Level 7.
- d. Subject 2023 was a failure with a TTS. Computer problems caused the delay.
- e. Subject 2035 was sick on 8/31/95.
- f. Subject 2023 elected to stop further exposure after the first 12 shots of condition 3/50. His ears started ringing after shot 10 and became worse after shot 12. No TTS occurred. Considered an elective failure after condition 3/25.



Appendix E-29. Exposure Matrix for Subjects 2042, 2033, and 2036, August 1995.


- a. Subject 2042 was a failure with a TTS of 20 dB at 2 minutes and 28 dB at 1 hour.
- b. Subject 2036 elected to stop further exposures.
- c. Subject 2033 elected not to go to Level 7.
- d. Subject 2042 started with level 2 protection on 30 August.
- e. Subject 2042 was an elective failure after condition 6/6, second-level hearing protection.






Appendix E-30. Subject Nos. 2052, 2053, and 2056, September-October 1995.

- A. Subject 2056 was a conditional failure with a TTS of 23 dB at 6000 Hz.
- B. Subjects 2053 and 2056 elected not to go to Level 7.
- C. Subject 2053 elected not to go to condition 6/100.



Appendix E-31. Subject Nos. 2062, 2063, 2065, and 2086, September-October 1995.

- A. Subject 2065 delayed 1 day due to needing his ears cleaned.
- B. Subject 2062, 2063, and 2065 elected not to go to Level 7.
- C. Subject 2062 had strep throat on 23 October.
- D. Subject 2063 was an auditory failure with a TTS<sub>2</sub> of 28 dB at 1 kHz.
- E. Subject 2063 started second-level hearing protection.
- F. Subject 2065 was a conditional failure with a TTS<sub>2</sub> of 19 dB at 4 kHz and a TTS<sub>20</sub> of 22 dB at 2 kHz. Subject elected not to go to condition 5/100.
- G. Subject 2063 was an elective failure to condition 6/50 with second-level protection. Cited headaches caused by the blast.
- H. Subject 2062 was an elective failure for condition 6/100.



Appendix E-32. Exposure Matrix for Subject Nos. 2072, 2073, 2075, and 2076, September-October 1995.

- A. Subject 2076 was an audiometric failure with a TTS<sub>2</sub> of 38 dB at 4 kHz and 22 dB at 8 kHz.
- B. Subject 2076 started second-level hearing protection with E.A.R.® foam plugs.
- C. Subjects 2072 and 2075 elected not to go to Level 7.
- D. Subject 2075 came off the pad early because his ringing kept getting worse after shot 3. He came off after shot 8. He did not have a trace of TTS, thus, he was required to redo condition 6/12.
- E. Subject 2075 was a conditional failure with a TTS<sub>2</sub> of 15 dB at 4 kHz
- F. Subject 2076 elected not to go to Level 7 with second-level hearing protection.
- G. Subject 2075 began second-level hearing protection.
- H. Subject 2072 elected not to go to condition 6/100.
- I. Subject 2076 was taken off the pad after 20 shots because of a sinus headache that kept becoming worse with each blast.
- J. Subject 2075 elected to stop further exposure both to 6/25 with second-level hearing protection or condition 5/25 with first-level hearing protection.
- K. Subject 2076 came off the pad at 40 shots because of a sinus headache that started at shot 10 and increased until shot 20, then stayed constant. Elected not to go to condition 6/100.

